

XTREME HIGH TACK WHITE Revision Number 2.02

Revision date 21-Jan-2024 Supersedes Date: 22-Aug-2019

# Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name XTREME HIGH TACK WHITE

Product Code(s) 30610679

30610679; 30612870

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available.

Details of manufacturer or importer

**Supplier** 

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria

Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

# Section 2: Hazard(s) identification

# **GHS Classification**

Serious eye damage/eye irritation Category 2 - (H319)

#### Label elements

**Exclamation mark** 



Signal word

Australia - EN Page 1/10

**XTREME HIGH TACK WHITE** 

Revision Number 2.02 Supersedes Date: 22-Aug-2019

Revision date 21-Jan-2024

#### **WARNING**

#### **Hazard statements**

H319 - Causes serious eye irritation

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

#### Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

#### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

#### Section 3: Composition and information on ingredients, in accordance with Schedule 8

#### Substance

Not applicable

#### <u>Mixture</u>

Chemical name	CAS No.	Weight-%
Trimethoxyvinylsilane	2768-02-7	0 - <10
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	<1
Non-hazardous ingredients	Proprietary	Balance

#### Section 4: First aid measures

**Emergency telephone number** Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

**Description of first aid measures** 

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin contact** Wash off immediately with soap and plenty of water for at least 15 minutes.

**Ingestion** Small amounts of toxic methanol are released by hydrolysis. Small amounts of toxic

methanol are released by hydrolysis. Call a physician immediately. Never give anything

by mouth to an unconscious person. Rinse mouth thoroughly with water.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

8).

# Most important symptoms and effects, both acute and delayed

Symptoms None known.

#### Indication of any immediate medical attention and special treatment needed

Australia - EN Page 2/10

**XTREME HIGH TACK WHITE** 

Revision date 21-Jan-2024 **Revision Number** 2.02 Supersedes Date: 22-Aug-2019

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon Note to physicians

curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically,

# Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

Specific hazards arising from the

Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous combustion products** 

chemical

Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon

dioxide.

Special protective actions for fire-fighters

precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

Use personal protection recommended in Section 8. For emergency responders

**Environmental precautions** 

Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section **Environmental precautions** 

12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

### Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

Australia - EN Page 3 / 10

**XTREME HIGH TACK WHITE** Revision date 21-Jan-2024 **Revision Number** 2.02 Supersedes Date: 22-Aug-2019

# Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture. **Storage Conditions** 

Keep away from food, drink and animal feeding stuffs.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

# Section 8: Exposure controls and personal protection

#### **Control parameters**

**Exposure Limits** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

#### **Appropriate engineering controls**

Showers, eyewash stations, and ventilation systems. **Engineering controls** 

Individual protection measures, such as personal protective equipment

If splashes are likely to occur, wear safety glasses with side-shields. Eye/face protection

Lightweight protective clothing. Impervious clothing. Long sleeved clothing. Skin and body protection

Hand protection For operations where prolonged or repeated skin contact may occur, impervious gloves

should be worn. Nitrile rubber.

Respiratory protection Organic gases and vapors filter conforming to EN 14387. White. Brown.

**Environmental exposure controls** No information available.

#### Section 9: Physical and chemical properties

### Information on basic physical and chemical properties

**Physical state** Solid

**Appearance** Very viscous Paste

Color White

Characteristic Odor

**Odor threshold** No information available

**Property** Remarks • Method Values

No data available pН pH (as aqueous solution) No data available

Melting point / freezing point No data available Initial boiling point and boiling No data available range

> 100 °C Flash point No data available **Evaporation rate Flammability** No data available Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapor pressure

Australia - EN Page 4/10

XTREME HIGH TACK WHITE Revision Number 2.02 Revision Number 2.02 Supersedes Date: 22-Aug-2019

Relative vapor density No data available

Relative density 1.55 @ 20 °C

Immiscible in water Water solubility Solubility(ies) No data available No data available **Partition coefficient Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available Dynamic viscosity No data available **Explosive properties** No information available No information available Oxidizing properties

Other information

Solid content (%)

Density

No information available
No information available

VOC content 35.6 g/L

# Section 10: Stability and reactivity

Reactivity

**Reactivity** Product cures with moisture.

Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

**Conditions to avoid** 

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze.

Keep away from open flames, hot surfaces and sources of ignition.

**Incompatible materials** 

**Incompatible materials**None known based on information supplied.

**Hazardous decomposition products** 

Hazardous decomposition None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are

**products** formed by hydrolysis and released upon curing.

### Section 11: Toxicological information

# **Acute toxicity**

# Information on likely routes of exposure

# **Product Information**

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Australia - EN Page 5/10

XTREME HIGH TACK WHITE Revision Number 2.02 Revision Number 2.02 Supersedes Date: 22-Aug-2019

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation. May cause sensitization in

susceptible persons.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

**Symptoms** May cause redness and tearing of the eyes.

#### Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 22,178.90

 ATEmix (dermal)
 >5000 mg/kg

 ATEmix (inhalation-gas)
 >20000

 ATEmix (inhalation-vapor)
 310.15 mg/l

ATEmix (inhalation-dust/mist) >5

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air

See section 16 for terms and abbreviations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

Component Information							
N-(3-(trimethoxysilyl)pro	N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)						
Method	Species	Exposure route	Effective dose	Exposure time	Results		
OECD Test No. 404:	Rabbit				Mild skin irritant		
Acute Dermal							
Irritation/Corrosion							

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Component Information	Component Information						
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)							
Method	Species	Exposure route	Effective dose	Exposure time	Results		
OECD Test No. 405:	Rabbit	eye			Eye Damage		
Acute Eye							
Irritation/Corrosion							

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Component Information	
Trimethoxyvinylsilane (2768-02-7)	

Australia - EN Page 6/10

**XTREME HIGH TACK WHITE Revision Number** 2.02

Revision date 21-Jan-2024 Supersedes Date: 22-Aug-2019

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Method	Species	Results			
OECD Test No. 471: Bacterial Reverse Mutation Test	Mammalian cells in vitro	Negative			
OECD Test No. 476: In vitro Mammalian Cell Gene Mutation Test	Mammalian cells in vitro	Negative			

# Reproductive toxicity

Based on available data, the classification criteria are not met.

Component Information							
N-(3-(trimethoxysilyl)propyl)ethylenediamine	N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)						
Method	Species	Results					
OECD Test No. 422: Combined Repeated Dose	Rat Oral	NOAEL >500 mg/Kg					
Toxicity Study with the							
Reproduction/Developmental Toxicity Screening							
Test							

Based on available data, the classification criteria are not met. STOT - single exposure

STOT - repeated exposure Based on available data, the classification criteria are not met.

Component Information					
Trimethoxyvinylsilane (2	768-02-7)				
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapor		90 days	0.058 NOAEL
Subchronic Inhalation					
Toxicity: 90-day Study					

N-(3-(trimethoxysilyl)propy	N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)						
Method	Species	Exposure route	Effective dose	Exposure time	Results		
OECD Test No. 422:	Rat	Subacute oral		28 days	NOAEL >500 mg/kg		
Combined Repeated Dose		toxicity gavage					
Toxicity Study with the							
Reproduction/Developme							
ntal Toxicity Screening							
Test							

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

# Section 12: Ecological information

# **Ecotoxicity**

# **Aquatic ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)
N-(3-(trimethoxysilyl)pro	-	LC50 (96H) =597 mg/L	-	EC50 (48h) =81mg/L

Australia - EN Page 7/10

# **XTREME HIGH TACK WHITE**

Revision date 21-Jan-2024 **Revision Number** 2.02 Supersedes Date: 22-Aug-2019

pyl)ethylenediamine	(Danio rerio)Semi-static	Daphnia magna Static
1760-24-3		

# Persistence and degradability

No information available. Persistence and degradability

Component Information				
Trimethoxyvinylsilane (2768-02-7)				
Method	Exposure time	Value	Results	
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily	
Biodegradability: Manometric			biodegradable	
Respirometry Test (TG 301 F)			-	

# Bioaccumulative potential

There is no data for this product. **Bioaccumulation** 

#### **Component Information**

Chemical name	Partition coefficient	
Trimethoxyvinylsilane	1.1	
2768-02-7 N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3	
1760-24-3	0.0	

# **Mobility**

Mobility in soil No information available.

No information available. Mobility

Other adverse effects

Other adverse effects No information available.

### Section 13: Disposal considerations

**Disposal methods** 

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

Section 14: Transport information

<u>ADG</u> Not regulated

<u>IATA</u> Not regulated

**IMDG** Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Australia - EN Page 8/10

XTREME HIGH TACK WHITE Revision Number 2.02 Revision date 21-Jan-2024 Supersedes Date: 22-Aug-2019

# Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

# **National regulations**

#### <u>Australia</u>

See section 8 for national exposure control parameters

#### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

#### **Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### **International Inventories**

AllC Listed Note : Product is covered by a volume-limited NICNAS exemption.

NZIOC Listed
ENCS Not Listed
IECSC Not Listed
KECL Listed
PICCS Not Listed

#### Legend:

AIIC - Australian Inventory of Industrial Chemicals

**NZIoC** - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# **Europe**

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### 2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

# Section 16: Any other relevant information

Australia - EN Page 9/10

**XTREME HIGH TACK WHITE** 

Revision date 21-Jan-2024 **Revision Number** 2.02 Supersedes Date: 22-Aug-2019

**Prepared By** Product Safety & Regulatory Affairs

**Revision date** 21-Jan-2024

#### **Revision Note**

\*\*\*Indicates updated data since last publication.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL (Short Term Exposure Limit) STEL

Ceiling Maximum limit value Sk\* Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

**Section 12: Ecological information** EC50 (effective concentration)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

Australia - EN Page 10/10