## SikaFast®-1640 Gel (A)



Version 3.0

Revision Date: 25.06.2024

SDS Number: 100000011310

Date of last issue: 30.04.2022 Date of first issue: 22.07.2019

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : SikaFast®-1640 Gel (A)

Manufacturer or supplier's details

Company : Sika Australia Pty. Ltd.

55 Elizabeth Street Wetherill Park, NSW 2164

Telephone : +61 2 9725 11 45

Emergency telephone number : +61 1800 033 111

Telefax : +61 2 9725 33 30

Recommended use of the chemical and restrictions on use

Product use : Adhesive

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 1

Skin sensitisation : Category 1

Short-term (acute) aquatic

hazard

Category 2

Long-term (chronic) aquatic

hazard

Category 3

**GHS label elements** 

Hazard pictograms



Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

## SikaFast®-1640 Gel (A)



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.04.2022

 3.0
 25.06.2024
 100000011310
 Date of first issue: 22.07.2019

Precautionary statements Prevention:

P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Other hazards which do not result in classification

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-hydroxyethyl methacrylate	868-77-9	>= 30 -< 60
acrylic acid	79-10-7	>= 3 -< 5
α, α-dimethylbenzyl hydroperoxide	80-15-9	>= 0.25 -< 1
2'-phenylacetohydrazide	114-83-0	< 1
p-benzoquinone	106-51-4	>= 0.025 -< 0.25

#### **SECTION 4, FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

## SikaFast®-1640 Gel (A)



Version Revision Date: SDS Number: Date of last issue: 30.04.2022 25.06.2024 100000011310 Date of first issue: 22.07.2019 3.0

In case of eye contact Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms

and effects, both acute and delayed

sensitising effects

Allergic reactions **Excessive lachrymation** 

Dermatitis

irritant effects

See Section 11 for more detailed information on health effects

and symptoms. Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

Notes to physician Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod- :

No hazardous combustion products are known

Specific extinguishing meth-

Standard procedure for chemical fires.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment. Deny access to unprotected persons.

**Environmental precautions** Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

## SikaFast®-1640 Gel (A)



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.04.2022

 3.0
 25.06.2024
 100000011310
 Date of first issue: 22.07.2019

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Hygiene measures : Handle in accordance with good industrial hygiene and safety

oractice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday. Keep container tightly closed in a dry and well-ventilated

plac

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with local regulations.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis	
		exposure)	concentration		
acrylic acid	79-10-7	TWA	2 ppm 5.9 mg/m3	AU OEL	
	Further information: Skin absorption				
p-benzoquinone	106-51-4	TWA	0.1 ppm 0.44 mg/m3	AU OEL	

Appropriate engineering

Conditions for safe storage

controls

Use adequate ventilation and/or engineering controls to pre-

vent exposure to vapours.

Personal protective equipment

Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Respirator selection must be based on known or anticipated

## SikaFast®-1640 Gel (A)



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.04.2022

 3.0
 25.06.2024
 100000011310
 Date of first issue: 22.07.2019

exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

Follow AS/NZS 1337.1

Recommended: Butyl rubber/nitrile rubber gloves.

Contaminated gloves should be removed.

Eye protection : Safety glasses

Skin and body protection : Protective clothing (e.g. safety shoes, long-sleeved working

clothing, long trousers)

Follow AS 2210:3

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : light yellow

Odour : slight

Odour Threshold : No data available

pH : Not applicable substance/mixture is non-soluble (in water)

Melting point/ range / Freez-

ing point

No data available

Boiling point/boiling range : No data available

Flash point : > 94 °C (201 °F)

(Method: closed cup)

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : 0.1 hPa

Relative vapour density : No data available

Density : ca. 1.08 g/cm3 (25 °C (77 °F))

## SikaFast®-1640 Gel (A)



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.04.2022

 3.0
 25.06.2024
 100000011310
 Date of first issue: 22.07.2019

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : ca. 100,000 mPa.s (25 °C (77 °F))

Viscosity, kinematic : Not applicable

Explosive properties : No data available

Oxidizing properties : No data available

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0% w/w

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : see section 7.

Hazardous decomposition

products

No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

Not classified due to lack of data.

#### Components:

2'-phenylacetohydrazide:

Acute oral toxicity : LD50 Oral (Rat): 270 mg/kg

## SikaFast®-1640 Gel (A)



Version 3.0

Revision Date: 25.06.2024

SDS Number: 100000011310

Date of last issue: 30.04.2022 Date of first issue: 22.07.2019

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

## Respiratory sensitisation

Not classified due to lack of data.

#### **Chronic toxicity**

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### Reproductive toxicity

Not classified due to lack of data.

## STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

### **Aspiration toxicity**

Not classified due to lack of data.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Components:**

#### acrylic acid:

M-Factor (Acute aquatic tox- : 1

icity)

M-Factor (Chronic aquatic : 1

toxicity)

p-benzoquinone:

M-Factor (Acute aquatic tox- : 10

icity)

#### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

## SikaFast®-1640 Gel (A)



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.04.2022

 3.0
 25.06.2024
 100000011310
 Date of first issue: 22.07.2019

#### Mobility in soil

No data available

#### Other adverse effects

#### **Product:**

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Send to a licensed waste management company.

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

## **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

Not applicable

IMDG-Code

Not applicable **UN** number Not applicable Proper shipping name Not applicable Class Subsidiary risk Not applicable Not applicable Packing group Labels Not applicable Not applicable **EmS Code** Not applicable Marine pollutant

## SikaFast®-1640 Gel (A)



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.04.2022

 3.0
 25.06.2024
 100000011310
 Date of first issue: 22.07.2019

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

**ADG** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons:

Standard) Instrument

Schedule 5 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might

apply for this chemical)

International Chemical Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

Prohibition/Licensing Requirements

Not applicable

There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

### The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 25.06.2024 Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

AU OEL / TWA : Exposure standard - time weighted average

ADG : Australian Dangerous Goods Code.

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS : Chemical Abstracts Service

# SikaFast®-1640 Gel (A)



Version 3.0	Revision Date: 25.06.2024		SDS Number: 100000011310	Date of last issue: 30.04.2022 Date of first issue: 22.07.2019	
	20.00.2024		10000011010	Bate of first 199de. 22.97.2019	
DNEL		: [	Derived no-effect level		
EC50		: H	Half maximal effective concentration		
GHS		: (	Globally Harmonized System		
IATA		: 1	International Air Transport Association		
IMDG		: 1	International Maritime Code for Dangerous Goods		
LD50		: [	Median lethal dosis (the amount of a material, given all at		
			once, which causes the death of 50 test animals)	0% (one half) of a group of	
LC50			Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation		
		ļ	period)		
MARPOL			nternational Convention for the Pro Ships, 1973 as modified by the Pro		
OEL			Occupational Exposure Limit		
PBT			Persistent, bioaccumulative and toxic		
PNEC			Predicted no effect concentration		
REACH		: F	Regulation (EC) No 1907/2006 of t	he European Parliament	
			and of the Council of 18 December		
		i	stration, Evaluation, Authorisation	and Restriction of Chemi-	
		(	cals (REACH), establishing a Europ	pean Chemicals Agency	
SVHC		: 3	Substances of Very High Concern		
vPvB		: \	Very persistent and very bioaccum	ulative	

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: aus.sika.com

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version!

AU / EN